

COMPONENTS

- AXDI-FD3 Interface
- AXDI-FD3 Harness

APPLICATIONS

Ford

Bronco	2021-2023
Bronco Sport	2021-2023
EcoSport	2020-2022
Escape	2020-2023
E series	2021-2022
F-250/350/450/550 4.2" screen	2020-2022
Maverick	2022-2023
Transit	2020-2025
Transit Connect	2020-2023

Data Interface

Fits Select Ford Models 2020-2025

Visit AxxessInterfaces.com for more detailed information about the product and up-to-date vehicle specific applications.

FEATURES

- Designed for non-amplified systems
- Provides accessory power (12-volt 10-amp)
- Retains R.A.P. (Retained Accessory Power)
- Provides NAV outputs (parking brake, reverse, speed sense)
- Pre-wired for Axxess SWC interface (sold separately)
- Retains balance & fade
- Retains factory backup camera in Transit/Transit Connect® vehicles without SYNC®
- Micro "B" USB updatable
- 1-year limited warranty

NOTE: Does NOT retain SYNC®

For **Dash Disassembly Instructions,** refer to metraonline.com. Enter the year, make, and model of the vehicle in the **Vehicle Fit Guide for Radio Install kits.**

MetraOnline.com

Product Info

TABLE OF CONTENTS

Connections....2
Installation....3
Programming....3

TOOLS & INSTALLATION ACCESSORIES REQUIRED


- Crimping tool and connectors, or solder gun, solder, and heat shrink • Tape • Wire cutter
- Zip ties • Multimeter tester

ATTENTION: With the key out of the ignition, disconnect the negative battery terminal before installing this product. Ensure that all installation connections, especially the air bag indicator lights, are plugged in before reconnecting the battery or cycling the ignition to test this product. NOTE: Refer also to the instructions included with the aftermarket accessory before installing this device.

© COPYRIGHT 2026 METRA ELECTRONICS CORPORATION

CONNECTIONS

From the AXDI-FD3 harness to the aftermarket radio



INSTALLATION

With the key in the off position:

1. Connect the **AXDI-FD3 harness** into the **AXDI-FD3 interface**, and then to the wiring harness in the vehicle.

   Note: If installing an Axxess SWC interface, connect it after you program and test the AXDI-FD3, with the key in the off position.

PROGRAMMING

Attention! If the interface loses power for any reason, the following steps will need to be performed again.

1. Cycle the engine on.

   Note: If the radio doesn't come on within 60 seconds, turn the key to the off position, disconnect the interface, check all connections, reconnect the interface, and then try again.

2. Cycle the ignition off, then back on.
3. Test all functions of the installation for proper operation.

Having difficulties? We're here to help.

Contact our Tech Support line at:
386-257-1187

Or via email at:
techsupport@metra-autosound.com

Tech Support Hours (Eastern Standard Time)

Monday - Friday: 9:00 AM - 7:00 PM
Saturday: 10:00 AM - 5:00 PM
Sunday: 10:00 AM - 4:00 PM

Metra recommends MECP certified technicians

© COPYRIGHT 2026 METRA ELECTRONICS CORPORATION